

Dir: L. Soroko  
 Prelim Paperwork

Frankenstein Paperwork.lw6  
 Des: Thomas Shorrock  
 Studio I Theatre  
 Florida Atlantic University

**TABLE OF CONTENTS**

FOH #7 .....	1	Back Hall .....	12
FOH #5 .....	2	East Handrail .....	13
FOH #4 .....	2	East Mid Handrail .....	13
FOH #3 .....	3	West Handrail .....	14
FOH #2 .....	4	West Mid Handrail .....	14
FOH #1 .....	5	East Boom #1 .....	14
Antepro .....	6	East Boom #2 .....	15
1st Electric .....	7	East Ladder #1 .....	15
2nd Electric .....	8	West Boom #1 .....	15
3rd Electirc .....	9	West Boom #2 .....	15
4th Electric .....	11	West Ladder #1 .....	16
South Handrail .....	12	East Floor Boom #1 .....	16
		Floor .....	16

Dir: L. Soroko  
Prelim Paperwork

Des: Thomas Shorrock  
Studio I Theatre  
Florida Atlantic University

**FOH #7**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/30	
2	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/30	
3	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(602)	3/68	
4	Upper Level Aisle	Strand 6x9	500w	<input type="radio"/> N/C	(497)	1/20	
5	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/12	
6	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/12	
7	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(601)	3/55	
8	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/12	

**FOH #5**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/63	
2	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(604)	3/94	
3	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/63	
4	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/51	
5	Center Steps	Strand 6x9	500w	<input type="radio"/> N/C	(479)	1/52	
6	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(603)	3/81	
7	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/51	
8	House Light	Altman 750Q Fresnel+Barn Door	500w	<input type="radio"/> N/C	(500)	1/51	

**FOH #4**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	SL Letters	Source Four 10	575w	<input type="radio"/> N/C	(502)	1/64	
2	House	Chandlier	1.75kW		(499)	1/55	
3	SR Letters	Source Four 10	575w	<input type="radio"/> N/C	(501)	1/45	
















## FOH #3

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	House Light	Altman 750Q Fresnel+Barn Door	500w	 N/C	(500)	1/67	
2	Area 4 Front	Source Four 36	575w	 R302, R132	(4)	1/66	
3	Area 2 Front	Source Four 36	575w	 R302, R132	(2)	1/65	
4	House Light	Altman 750Q Fresnel+Barn Door	500w	 N/C	(500)	1/67	
5	Center Right Front	Source Four 36	575w	 R302, R132	(14)	1/62	
6	Area 7 Front	Source Four 26	575w	 R302, R132	(7)	1/59	
7	Area 3 Front	Source Four 36	575w	 R302, R132	(3)	1/58	
8	House Light	Altman 750Q Fresnel+Barn Door	500w	 N/C	(500)	1/50	
9	Center Left Front	Source Four 36	575w	 R302, R132	(13)	1/54	
10	Area 11 Front	Source Four 26	575w	 R302, R132	(11)	1/53	
11	Area 6 Front	Source Four 26	575w	 R302, R132	(6)	1/47	
12	House Light	Altman 750Q Fresnel+Barn Door	500w	 N/C	(500)	1/50	
13	Area 1 Front	Source Four 36	575w	 R302, R132	(1)	1/46	
14	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(605)	3/120	
15	House Light	Altman 750Q Fresnel+Barn Door	500w	 N/C	(500)	1/50	
















## FOH #2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Lighting X Fire	Chauvet Hex Par Pro 12	54w		(606)	3/107	
2	House Light	Altman 750Q Fresnel+Barn Door	500w	R360, R132	(25)		
3.1	I Cue SR Front	Source Four 19	575w	R132	(613)	1/101	
3.2	SR DMX Iris	DMX Iris	12w		(613)	3/149	
3.3	SR I-Cue	I-Cue	31w		(613)	3/145	
4	R Front Tone Blue	Source Four PAR MFL	575w	R360, R132	(24)	1/76	
5.1	R Breakup Lamp	Source Four 36	575w	T:R71041	(50)	1/95	
5.2		MXR Scroller	48w		(50)	3/166	
6.1	RC Breakup Lamp	Source Four 36	575w	T:R71041	(49)	1/94	
6.2		MXR Scroller	48w		(49)	3/164	
7	C Front Tone Blue	Source Four PAR MFL	575w	R360, R132	(23)	1/91	
8.1	LC Breakup Lamp	Source Four 36	575w		(47)	1/90	
8.2		MXR Scroller	48w		(47)	3/162	
9.1	L Breakup Lamp	Source Four 36	575w		(46)	1/87	
9.2		MXR Scroller	48w		(46)	3/160	
10	LC Front Tone Blue	Source Four PAR MFL	575w	R360, R132	(22)	1/85	
11.1	I Cue SL Front	Source Four 19	575w	R132	(611)	1/83	
11.2		DMX Iris	12w		(611)	3/139	
11.3		I-Cue	31w		(611)	3/135	
12	L Front Blue Tone	Source Four PAR MFL	575w	R360, R132	(21)	1/80	
13	Area 5 Front	Source Four 36	575w	R302, R132	(5)	1/78	










## FOH #1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Center Right / Side	Source Four 36	575w	 R62, R132	(214)	1/103	
2	Spare #5	Source Four 26	575w	 R132	(520)	1/102	
3	Area 3 / Side	Source Four 26	575w	 R62, R132	(203)	1/100	
4	Spare #4	Source Four 26	575w	 R132	(519)	1/99	
5	Area 4 / Side	Source Four 26	575w	 R132	(104)	1/98	
6	Center Left / Side	Source Four 36	575w	 R62, R132	(213)	1/97	
7	Area 5 / Side	Source Four 26	575w	 R62, R132	(205)	1/93	
8	Area 2 / Side	Source Four 26	575w	 R132	(102)	1/92	
9	Area 1 / Side	Source Four 26	575w	 R62, R132	(201)	1/89	
10	Spare #3	Source Four 26	575w	 R132	(518)	1/88	
11	Center Right \ Side	Source Four 36	575w	 R132	(114)	1/86	
12	Spare #2	Source Four 26	575w	 R132	(517)	1/84	
13	Area 3 \ Side	Source Four 26	575w	 R132	(103)	1/82	
14	Spare #1	Source Four 26	575w	 R132	(516)	1/81	
15	Center Left \ Side	Source Four 36	575w	 R132	(113)	1/79	

## Antepro

















U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Down L	Showline SL 155 LED Par+ Top Hat	128w		(616)	3/280	
2	Breakup C	Source Four 36	575w	  R372, T: R77208	(55)	1/105	
3	Blue Bax L	Source Four PAR WFL+Barn Door	575w	 R74	(30)	1/106	
4	Down LC	Showline SL 155 LED Par+ Top Hat	128w		(615)	3/264	
5	Blue BAx LC	Source Four PAR WFL+Barn Door	575w	 R74	(29)		
6	Cobblestone SL	Source Four 36	575w	  R373, T: R77787	(71)	1/108	
7	Breakup L	Source Four 36	575w	  R372, T: R77208	(54)	1/130	
8	Down CL	Showline SL 155 LED Par+ Top Hat	128w		(614)	3/248	
9	Blue Bax RC	Source Four PAR WFL+Barn Door	575w	 R74	(27)	1/126	
10	Cobblestone SR	Source Four 36	575w	  R373, T: R77787	(70)	1/125	
11	Down CR	Showline SL 155 LED Par+ Top Hat	128w		(613)	3/232	
12	Breakup R	Source Four 36	575w	  R87, T: R77208	(53)	1/120	
13	Down RC	Showline SL 155 LED Par+ Top Hat	128w		(612)	3/216	
14	Blue Bax R	Source Four PAR WFL+Barn Door	575w	 R74	(26)	1/119	
15	Breakup C	Source Four 36	575w	  R87, T: R77208	(52)	1/77	
16	Down RC	Showline SL 155 LED Par+ Top Hat	128w		(611)	3/200	

**1st Electric**


U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
2	Breakup C	Source Four 36	575w	 R372, T: R77208	(61)	1/143	
3.1	Scroll Lamp	Source Four 36	575w	T:R71041	(48)	1/140	
3.2		MXR Scroller	48w		(48)	3/162	
4	Breakup L	Source Four 36	575w	 R372, T: R77208	(60)	1/139	
5	Area 11	Source Four 26	575w	 R62, R132	(211)	1/138	
6	Area 6	Source Four 36	575w	 R62, R132	(206)	1/135	
7	Area 8	Source Four 36	575w		(108)	1/134	
8.1	I Cue CS	Source Four 19	575w	 R132	(612)	1/133	
8.2		DMX Iris	12w		(612)	3/144	
8.3		I-Cue	31w		(612)	3/140	
9		Source Four 26				1/132	
10	Breakup R	Source Four 36	575w	 R87, T: R77208	(59)	1/124	
11	A11	Source Four 26	575w	 R132	(111)	1/118	
12	A6	Source Four 36	575w	 R132	(106)	1/117	
13	Breakup C	Source Four 36	575w	 R87, T: R77208	(58)	1/116	













**2nd Electric**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Ice Breakup L	Source Four 36	575w	  N/C, T: R78636	(100)	1/141	
2	Blue Bax L	Source Four PAR WFL+Barn Door	575w	 R74	(35)	1/142	
3	Ice Breakup LC	Source Four 36	575w	  N/C, T: R78636	(99)	1/137	
4	Blue Bax LC	Source Four PAR WFL+Barn Door	575w	 R74	(34)	1/131	
5	Ice Breakup C	Source Four 36	575w	  N/C, T: R78636	(98)	1/129	
6	Monster Area LED	Showline SL 155 LED Par	128w		(617)	3/296	
7	Blue Bax C	Source Four PAR WFL+Barn Door	575w	 R74	(33)	1/128	
8	Ice Breakup RC	Source Four 36	575w	  N/C, T: R78636	(97)	1/127	
9	Blue Bax RC	Source Four PAR WFL+Barn Door	575w	 R74	(32)	1/123	
10	Grave Down Light	Source Four 19	575w	 R371	(73)	1/122	
11	Ice Breakup R	Source Four 36	575w	  N/C, T: R78636	(96)	1/121	
12	Blue Bax R	Source Four PAR WFL+Barn Door	575w	 R74	(31)	1/115	










## 3rd Electirc

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Side Gobo	Source Four 36	575w	 R372, T: R77208	(65)	1/136	
2	A4 Back	Source Four 36	575w	 R4215, R132	(304)	1/68	
3	M1 Back	Source Four 26	575w	 R4215, R132	(514)	1/69	
4.1	Lower Rake Breakup	Source Four 36	575w	T:R71041	(45)	1/70	
4.2		MXR Scroller	48w		(45)	3/170	
5	A2 Back	Source Four 36	575w	 R4215, R132	(302)	1/71	
6.1	Sail Color	Source Four 36	575w		(41)	1/72	
6.2		MXR Scroller	48w		(41)	3/166	
7.1	I Cue SL Back	Source Four 19	575w		(615)	1/61	
7.2		DMX Iris	12w		(615)	3/159	
7.3		I-Cue	31w		(615)	3/155	
8.1	Mid Rake Breakup	Source Four 36	575w	T:R71041	(44)	1/60	
8.2		MXR Scroller	48w		(44)	3/164	
9	CR Back	Source Four 36	575w	 R4215, R132	(314)	1/57	
10	Color down A3	Showline SL 155 LED Par	128w		(619)	3/328	
11	Blue Bax RC	Source Four 36	575w	 R74	(39)	1/56	
12	A3 Back	Source Four 36	575w	 R4215, R132	(303)	1/114	
13.1	Upper Landing Breakup	Source Four 36	575w	T:R71041	(43)	1/113	
13.2		MXR Scroller	48w		(43)	3/168	
14	Blue BAX LC	Source Four PAR WFL+Barn Door	575w	 R74	(37)	1/112	





**3rd Electirc**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
15	CL bax	Source Four 36	575w	 R4215, R132	(313)	1/120	
16	A9 Side	Source Four 26	575w	 R132	(109)	1/111	
17.1	I CUe SR Back	Source Four 19	575w	 R132	(614)	1/110	
17.2		DMX Iris	12w		(614)	3/154	
17.3		I-Cue	31w		(614)	3/150	
18	A1 Back	Source Four 36	575w	 R4215, R132	(301)	1/48	
19	Color Down A1	Showline SL 155 LED Par	128w		(618)	3/312	
20	Window	Source Four 26	575w	  R64, T: R78625	(74)	1/109	
21	A5 Back	Source Four 36	575w	 R4215, R132	(305)	1/38	
22	A1 Back	Source Four 26	575w	 R4215, R132	(503)	1/75	
23	Mid Breakup	Source Four 36	575w	  R87, T: R77208	(64)	1/74	













**4th Electric**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	A8 Back	Source Four 36	575w	 R4215, R132	(308)	1/76	
2	A9 / Side	Source Four 36	575w	 R62, R132	(209)	1/31	
3	A10 / Side	Source Four 36	575w	 R62, R132	(210)	1/44	
4	A7 Back	Source Four 36	575w	 R4215, R132	(307)	1/87	
5	MC Back	Source Four PAR WFL+Barn Door	575w	 R74	(38)	1/21	
6	A11 Color Fill	Showline SL 155 LED Par	128w		(620)	3/344	
7	A11 Back	Source Four 36	575w	 R4215, R132	(311)	1/15	
8	A6 Back	Source Four 36	575w	 R4215, R132	(306)	1/43	
9	Sail Breakup	Source Four 36	575w	 R372, T: R71041	(75)	1/42	
10	A10 Side	Source Four 36	575w	 R132	(110)	1/41	

## South Handrail

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Body	Source Four 19	575w	 N/C	(95)	1/179	
2	Cyc R	Altman Spectracyc SS100	71w		(634)	3/440	
3	Lower Ramp Color	Showline SL 155 LED Par	128w		(623)	3/392	
4	A12 Back light	Source Four 36	575w	 R4215, R132	(312)		
5	Cyc RC	Altman Spectracyc SS100	71w		(633)	3/430	
6	Mid Ramp Color	Showline SL 155 LED Par	128w		(622)	3/376	
7	A09 Back	Source Four 36	575w	 R4215, R132	(309)	1/180	
8	Cyc LC	Altman Spectracyc SS100	71w		(632)	3/420	
9	Upper Ramp Color	Showline SL 155 LED Par	128w		(621)	3/360	
10	Cyc L	Altman Spectracyc SS100	71w		(631)	3/410	
11	A 10 Back	Source Four 36	575w	 R4215, R132	(310)		

## Back Hall

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Cloud Clear	Source Four 50	575w	  N/C, T: R77828	(93)	1/165	
2	Cloud Warm	Source Four 50	575w	  R08, T: R77829	(92)	1/162	
3	Moon	Source Four 90	575w	  N/C, T: R82700	(91)	1/164	
4	Nebula	Source Four 90	575w	  N/C, T: R86666	(90)	1/163	
5	Cloud Warm	Source Four 50	575w	  N/C, T: R77829	(89)	1/167	
6	Cloud Clear	Source Four 50	575w	  R08, T: R77828	(88)	1/168	

**East Handrail**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Ramp Light	Strand 6x9	500w	○ N/C	(496)	1/39	
2	Step Light	Strand 6x9	500w	○ N/C	(496)	1/39	
3	A1 \ Side	Source Four 26	575w	○ R132	(101)	1/6	
4	A5 \ Side	Source Four 26	575w	○ R132	(105)	1/5	
5	Alley Side	Source Four 26+Top Hat	575w	● R371	(84)	1/4	
6	Side Breakup	Source Four 36	575w	● R87, T: R77208	(51)	1/2	
7	Side Gobo	Source Four 36	757w	● R87, T: R77208	(57)	1/9	
8	Door Bax	Source Four 36	575w	○ R132	(72)	1/8	
9	Worklight	Source Four 50+Top Hat	575w	● R74	(495)	1/177	

**East Mid Handrail**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Alley Far	Source Four 26+Top Hat	575w	● R371	(85)	1/4	
2	Creature Side Push	Source Four 26+Top Hat	575w		(82)	1/7	
3	Creature Side Push	Source Four 26+Top Hat	575w		(81)	1/7	

**West Handrail**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Ramp Light	Strand 6x9	500w	○ N/C	(498)	1/36	
2	Step Light	Strand 6x9	500w	○ N/C	(498)	1/36	
3	A2 Side	Source Four 36	575w	● R62, R132	(202)	1/35	
4	A4 Side	Source Four 36	575w	● R62, R132	(204)	1/33	
5	Alley Side	Source Four 26+Top Hat	575w	● R371	(87)	1/27	
6	Side Gobo	Source Four 36	575w	● R372, T: R77208	(56)	1/26	
7	A8 Side	Source Four 36	575w	● R62, R132	(208)	1/25	
8	Side Gobo	Source Four 36	575w	● R371, T: R77208	(62)	1/24	
9	Sail Color	Source Four 26+Top Hat	575w	● R26	(76)	1/175	
10	Sail Color	Source Four 26+Top Hat	575w	● R74	(77)	1/176	
11	Worklight	Source Four 50+Top Hat	575w	● R74	(495)		





**West Mid Handrail**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Alley Side	Source Four 26+Top Hat	575w	● R371	(86)		





**East Boom #1**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Green Wash Near	Source Four 36+Top Hat	575w	● R73	(121)	1/151	
2	Purp Wash Near	Source Four 36+Top Hat	575w	● R48	(131)	1/153	
3	Green Wash Far	Source Four 26+Top Hat	575w	● R73	(122)	1/152	
4	Purp Wash Far	Source Four 26+Top Hat	575w	● R48	(132)	1/154	
5	Mover	VariLite 1000 TSD	1.1kW		(651)	3/1	
6	VL Power	Non Dim Circuit	1.1kW		(999)	1/156	





**East Boom #2**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Warm X Near	Source Four 26+Top Hat	575w	 R03	(141)	1/1	
2	Cool X Near	Source Four 26+Top Hat	575w	 R64	(241)	1/13	
3	Warm X Far	Source Four 36+Top Hat	575w	 R03	(142)	1/1	
4	Cool X Far	Source Four 36+Top Hat	575w	 R64	(242)	1/13	





**East Ladder #1**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Warm Near	Source Four 36	575w	 R03	(143)	1/11	
2	Cool Near	Source Four 36	575w	 R64	(243)	1/10	
3	Warm Far	Source Four 26	575w	 R03	(144)	1/11	
4	Cool Far	Source Four 26	575w	 R64	(244)	1/10	

**West Boom #1**









U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Green Wash Near	Source Four 36+Top Hat	575w	 R73	(124)	1/181	
2	Purp Wash Near	Source Four 36+Top Hat	575w	 R48	(134)	1/183	
3	Green Wash Far	Source Four 26+Top Hat	575w	 R73	(123)	1/182	
4	Purp Wash Far	Source Four 26+Top Hat	575w	 R48	(133)	1/184	
5	Mover	VariLite 1000 TSD	1.1kW		(652)	3/28	
6	VL Power	Non Dim Circuit	1.1kW		(999)	1/185	

**West Boom #2**






U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Warm X Near	Source Four 26+Top Hat	575w	 R03	(145)	1/34	
2	Cool X Near	Source Four 26+Top Hat	575w	 R64	(245)	1/32	
3	Warm X Far	Source Four 36+Top Hat	575w	 R03	(146)	1/34	
4	Cool X Far	Source Four 36+Top Hat	575w	 R64	(246)	1/32	





**West Ladder #1**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Warm Near	Source Four 36	575w	 R03	(147)	1/29	
2	Cool Near	Source Four 36	575w	 R64	(247)	1/28	
3	Breakup Far	Source Four 36	575w	  N/C, T: R81210	(18)		
4	Warm Far	Source Four 26	575w	 R03	(148)	1/29	
5	Cool Far	Source Four 26	575w	 R64	(248)	1/28	
6	Breakup Far	Source Four 36	575w	  N/C, T: R77760	(19)		

**East Floor Boom #1**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Breakup Far	Source Four 36+Top Hat	575w	  N/C, T: R81210	(15)	1/157	
2	Breakup Far	Source Four 36+Top Hat	575w	  N/C, T: R77760	(16)	1/159	
3	Fog Color	Source Four 70+Top Hat	575w	 R92	(17)	1/158	

**Floor**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dm
1	Slider Uplight	Source Four 19	575w	 N/C	(69)		
2	Cyc Light	Altman Spectracyc SS100	354w		(641)		
3	Cyc Light	Altman Spectracyc SS100	354w		(642)		
4	Cyc Light	Altman Spectracyc SS100	354w		(643)		
5	Cyc Light	Altman Spectracyc SS100	354w		(644)		
6	Cyc Light	Altman Spectracyc SS100	354w		(645)		
7	Body Uplight	Source Four PAR NSP+Barn Door	575w	 R26	(94)		