

Lady from the Sea
LD: Thomas Shorrock

TABLE OF CONTENTS

FOH 7	1	3rd Electric	7
FOH 6	1	4thh Electric	8
FOH 5	2	North Handrail Lower	8
FOH 4	3	West Handrail Upper	9
FOH 3	3	West Handrail Mid	9
FOH 2	4	West Handrail Lower	9
FOH 1	5	East Handrail Upper	10
Ante Pro	5	East Handrail Mid	10
1st Electric	6	East Handrail Lower	10
2nd Electric	7	West Ladder	11
		East Ladder	12

Lady from the Sea
LD: Thomas Shorrock
















FOH 7

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		
2	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		
3	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		
4	Aisle Light	Altman 1KL6 2040+Light Acc C Clamp	500w	○ N/C	(496)		
5	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		
6	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		
7	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	○ N/C	(500)		








FOH 6

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Blue Wash R	S4-19°+Light Acc 6.25in Color Extender	750w	● R74	(24)		
2	Blue Wash RC	S4-19°+Light Acc 6.25in Color Extender	750w	● R74	(23)		
3	Blue Wash LC	S4-19°+Light Acc 6.25in Color Extender	750w	● R74	(22)		
4	Blue Wash L	S4-19°+Light Acc 6.25in Color Extender	750w	● R74	(21)		









FOH 5

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
2	DL Front	S4-26°	575w	 R55+R132	(7)		
3	L Side Front	S4-26°	575w	 R55+R132	(6)		
4	House Light	S4 PAR MFL	575w	 N/C	(500)		
5	DLC Front	S4-26°	575w	 R55+R132	(5)		
6	DC Front	S4-26°	575w	 R55+R132	(4)		
7	House Light	S4 PAR MFL	575w	 N/C	(500)		
8	Chandelier	Chandelier Pratical	850w	 N/C	(499)		
9	DC Front	S4-26°	575w	 R55+R132	(4)		
10	House Light	S4 PAR MFL	575w	 N/C	(500)		
11	House Light	S4 PAR MFL	575w	 N/C	(500)		
12	DRC Front	S4-26°	575w	 R55+R132	(3)		
13	R Side Front	S4-26°	575w	 R55+R132	(1)		
14	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
15	DR Front	S4-26°	575w	 R55+R132	(2)		












FOH 4

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	ML Front	S4-26°	575w	 R55+R132	(12)		
2	Spare 4	S4-36°	575w		(524)		
3	MLC Front	S4-26°	575w	 R55+R132	(11)		
4	Spare 3	S4-36°	575w		(523)		
5	MC Front	S4-26°	575w	 R55+R132	(10)		
6	Step Light	Altman 1KL6 2040+Light Acc C Clamp	500w	 N/C	(496)		
7	MC Front	S4-26°	575w	 R55+R132	(10)		
8	Spare 2	S4-36°	575w		(522)		
9	MRC Front	S4-26°	575w	 R55+R132	(9)		
10	Spare 1	S4-36°	575w		(521)		
11	MR Font	S4-26°	575w	 R55+R132	(8)		














FOH 3

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	DRC Diag Front /	S4-36°	575w	 R13+R132	(44)		
2	DR Diag Front \	S4-36°	575w	 R58+R132	(35)		
3	DC Diag Front /	S4-36°	575w	 R13+R132	(43)		
4	DRC Diag Front \	S4-36°	575w	 R58+R132	(34)		
5	DLC Diag Front /	S4-36°	575w	 R13+R132	(42)		
6	DC Diag Front \	S4-36°	575w	 R58+R132	(33)		
7	DL Diag Front /	S4-36°	575w	 R13+R132	(41)		
8	DLC Diag Front \	S4-36°	575w	 R58+R132	(32)		


FOH 2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
2	ML Diag Front /	S4-36°	575w	 R13+R132	(49)		
3	MR Diag Front \	S4-36°	575w	 R58+R132	(40)		
4	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
5	UL Front	S4-19°	575w	 R55+R132	(15)		
6	MC Front /	S4-36°	575w	 R13+R132	(48)		
7	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
8	MLC Front	S4-36°	575w	 R58+R132	(39)		
9	UC Front	S4-19°	575w	 R55+R132	(14)		
10	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
11	MRC Diag Front /	S4-36°	575w	 R13+R132	(47)		
12	MC Diag Front \	S4-36°	575w	 R58+R132	(38)		
13	UR Front	S4-19°	575w	 R55+R132	(13)		
14	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		
15	MR Diag Front /	S4-36°	575w	 R13+R132	(46)		
16	MRC Diag Front \	S4-36°	575w	 R58+R132	(37)		
17	House Light	S4 PAR MFL+7.5in 4 Leaf Barn Door	575w	 N/C	(500)		






FOH 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	DC Pipe End Warm	S4-36°	575w	 R305+R132	(84)		
2	DR Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(66)		
2.1		Apollo MXR			(66)		
3	C Pipe End Cool	S4-36°	575w	 R367+R132	(104)		
4	DRC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(65)		
4.1		Apollo MXR			(65)		
5	DL Pipe End Warm	S4-36°	575w	 R305+R132	(83)		
6	DL Pipe End Cool	S4-36°	575w	 R367+R132	(103)		
7	DC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(64)		
7.1		Apollo MXR			(64)		
8	DR Pipe End Cool	S4-36°	575w	 R367+R132	(102)		
9	DR Pipe End Warm	S4-36°	575w	 R305+R132	(82)		
10	DLC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(63)		
10.1		Apollo MXR			(63)		
11	DC Pipe End Warm	S4-36°	575w	 R367+R132	(101)		
12	DL Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(62)		
12.1		Apollo MXR			(62)		
13	DC Pipe End Cool	S4-36°	575w	 R305+R132	(81)		




Ante Pro

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Water Effect	S4-36°+Light Acc S4B Rotator+ Light Acc 6.25in Top Hat	575w	 R367+R132, T: R78133, R79665	(503)		






1st Electric

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	DR LED Bax	SL Par 155 Zoom	150w		(615)		
2	MR Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(72)		
2.1		Apollo MXR			(72)		
3	MC Pipe End Warm	S4-36°	575w	 R305+R132	(90)		
4	MiC Pipe End Cool	S4-36°	575w	 R367+R132	(110)		
5	MRC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(71)		
5.1		Apollo MXR			(71)		
6	DRC LED Bax	SL Par 155 Zoom	150w		(614)		
7	ML Pipe End Warm	S4-36°	575w	 R305+R132	(89)		
8	ML Pipe End Cool	S4-36°	575w	 R367+R132	(109)		
9	MC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(70)		
9.1		Apollo MXR			(70)		
10	DC LED Bax	SL Par 155 Zoom	150w		(613)		
11	MR Pipe End Cool	S4-36°	575w	 R367+R132	(108)		
12	MR Pipe End Warm	S4-36°	575w	 R305+R132	(88)		
13	DLC LED Bax	SL Par 155 Zoom	150w		(612)		
14	MLC Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(69)		
14.1		Apollo MXR			(69)		
15	MC Pipe End Cool	S4-36°	575w	 R367+R132	(107)		
16	MC Pipe End Warm	S4-36°	575w	 R305+R132	(87)		
17	ML Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(68)		
17.1		Apollo MXR			(68)		
18	DL LED Bax	SL Par 155 Zoom	150w		(611)		

2nd Electric

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	UR Gogo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(75)		
1.1		Apollo MXR			(75)		
2	UC Gogo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(74)		
2.1		Apollo MXR			(74)		
3	UL Gobo Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(73)		
3.1		Apollo MXR			(73)		

3rd Electric

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	MR LED Bax	SL Par 155 Zoom	150w		(620)		
2	UC Pipe End Warm	S4-36°	575w	 R305+R132	(96)		
3	UC Pipe End Cool	S4-36°	575w	 R367+R132	(116)		
4	MRC LED Bax	SL Par 155 Zoom	150w		(619)		
5	UL Pipe End Warm	S4-36°	575w	 R305+R132	(95)		
6	UL Pipe End Cool	S4-36°	575w	 R367+R132	(115)		
7	MC LED Bax	SL Par 155 Zoom	150w		(618)		
8	R Pipe End Warm	S4-36°	575w	 R367+R132	(114)		
9	UR Pipe End Cool	S4-36°	575w	 R305+R132	(94)		
10	MLC LED Bax	SL Par 155 Zoom	150w		(617)		
11	UC Pipe End Cool	S4-36°	575w	 R367+R132	(113)		
12	UC Pipe End Warm	S4-36°	575w	 R305+R132	(93)		
13	ML LED Bax	SL Par 155 Zoom	150w		(616)		

4thh Electric

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Groundrow Breakup	S4-50°	575w		(502)		
2	Spare E	S4-36°	575w		(529)		
3	Diag Bx R	PAR H7IP	65w		(658)		
4	UR LED Bax	SL Par 155 Zoom	150w		(623)		
5	Daig Bax RC	PAR H7IP	65w		(657)		
6	Spare D	S4-36°	575w		(528)		
7	Diag Bax LC	PAR H7IP	65w		(656)		
8	Spare C	S4-36°	575w		(527)		
9	Diag Bax L	PAR H7IP	65w		(655)		
10	UC LED Bax	SL Par 155 Zoom	150w		(622)		
11	Daig Bax R	PAR H7IP	65w		(654)		
12	Spare B	S4-36°	575w		(526)		
13	Diag Bax RC	PAR H7IP	65w		(653)		
14	Diag Bax LC	PAR H7IP	65w		(652)		
15	Spare A	S4-36°	575w		(525)		
16	UL LED Bax	SL Par 155 Zoom	150w		(621)		
17	Diag Bax L	PAR H7IP	65w		(651)		
18	Groundrow Breakup	S4-50°	575w		(501)		








North Handrail Lower

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Cyc	Spectra Cyc 50 LED RGBA	50w		(316)		
2	Cyc	Spectra Cyc 50 LED RGBA	50w		(315)		
3	Cyc	Spectra Cyc 50 LED RGBA	50w		(314)		
4	Cyc	Spectra Cyc 50 LED RGBA	50w		(313)		
5	Cyc	Spectra Cyc 50 LED RGBA	50w		(312)		
6	Cyc	Spectra Cyc 50 LED RGBA	50w		(311)		

West Handrail Upper

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Ramp Light	Altman 1KL6 2040+Light Acc C Clamp	750w		(494)		
2	Landing Light	Altman 1KL6 2040+Light Acc C Clamp	750w		(495)		
3	Step lights	Altman 1KL6 2040+Light Acc C Clamp	750w		(495)		
4	Running Light	S4-36°	575w		(999)		

West Handrail Mid

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	DL Diag Front \	S4-36°	575w	 R58+R132	(31)		
2	ML Diag Front \	S4-26°	575w	 R58+R132	(36)		
3	Left Steps Breakup	S4-36°+Light Acc S4B Template Holder	750w	 T:R77805	(61)		
3.1		Apollo MXR			(61)		
4	DL Pipe End Warm	S4-36°+Light Acc 6.25in Top Hat	575w	 R305+R132	(80)		
5	DL Pipe End Cool	S4-36°+Light Acc 6.25in Top Hat	575w	 R367+R132	(100)		
6	ML Pipe End Warm	S4-36°	575w	 R305+R132	(86)		
7	UL Pipe End Warm	S4-36°	575w	 R305+R132	(92)		

West Handrail Lower

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	ML Pipe End Cool	S4-36°	575w	 R367+R132	(106)		
2	UL Pipe End Cool	S4-36°	575w	 R367+R132	(112)		

East Handrail Upper

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	Ramp Light	Altman 1KL6 2040+Light Acc C Clamp	750w		(497)		
2	Landing ARea	Altman 1KL6 2040+Light Acc C Clamp	750w		(498)		
3	Step Area	Altman 1KL6 2040+Light Acc C Clamp	750w		(498)		
4	Backstage Light	S4-36°	575w	● R80	(999)		









East Handrail Mid

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1	DR Diag Front /	S4-36°	575w	● R13+R132	(45)		
2	ML Diag Front /	S4-26°	575w	● R13+R132	(50)		
3	Right Steps Breakup	S4-36°+Light Acc S4B Template Holder	750w	● T:R77805	(67)		
3.1	Steps R Breakup	Apollo MXR			(67)		
4	DR Pipe End Warm	S4-50°+Light Acc 6.25in Top Hat	575w	● R305+R132	(85)		
5	DR Pipe End Cool	S4-50°+Light Acc 6.25in Top Hat	575w	● R367+R132	(105)		
6	MR Pipe End Warm	S4-36°	575w	● R305+R132	(91)		
7	UR Pipe End Warm	S4-36°	575w	● R305+R132	(97)		









East Handrail Lower

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
8	MR Pipe End Cool	S4-36°	575w	● R367+R132	(111)		
9	UR Pipe End Cool	S4-36°	575w	● R367+R132	(117)		

West Ladder

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°+Light Acc 6.25in Top Hat	575w	 R42	(401)		
2		S4-26°+Light Acc 6.25in Top Hat	575w	 R42	(401)		
3		S4-36°+Light Acc 6.25in Top Hat	575w	 R74	(402)		
4		S4-26°+Light Acc 6.25in Top Hat	575w	 R74	(402)		
5		S4-36°+Light Acc 6.25in Top Hat	575w	 R13	(403)		
6		S4-26°+Light Acc 6.25in Top Hat	575w	 R13	(403)		
7		S4-36°+Light Acc 6.25in Top Hat	575w	 R374	(404)		
8		S4-26°+Light Acc 6.25in Top Hat	575w	 R374	(404)		

East Ladder

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Ad	Dm
1		VL1000 TSD	1kW		(801)		
2		S4-26°+Light Acc 6.25in Color Extender	575w	 R74	(405)		
3		S4-36°+Light Acc 6.25in Color Extender	575w	 R74	(405)		
4		S4-26°+Light Acc 6.25in Top Hat	575w	 R23	(406)		
5		S4-36°+Light Acc 6.25in Top Hat	575w	 R23	(406)		
6		S4-26°+Light Acc 6.25in Top Hat	575w	 R374	(407)		
7		S4-36°+Light Acc 6.25in Top Hat	575w	 R374	(407)		
8		S4-26°+Light Acc 6.25in Top Hat	575w	 R42	(408)		
9		S4-36°+Light Acc 6.25in Top Hat	575w	 R42	(408)		